

MAY 24 2005



Medtronic

Facsimile Cover Sheet

P-10413.00

To: Examiner Ha

Company: U.S. Patent and Trademark Office

Phone:

Fax: 703 872 9306

From: Carol F. Barry

Company:  **Medtronic**

Phone: 763 514 4673

Fax: 763 505 2530

Date: May 24, 2005

**Pages including this
cover page:** 3

Comments: RE: P-10413.00
Serial No. 10/618,048
Applicants: Norton et al.
Filed: July 11, 2003
Title: METHODS OF APPLYING SEPARATOR MEMBERS TO AN
ELECTRODE OF A CAPACITOR

Attached please find the following documents:

- X Response to Restriction Requirement
- X Transmittal

IF TELECOPY IS ILLEGIBLE OR ALL PAGES HAVE NOT BEEN RECEIVED, PLEASE CONTACT MOLLY CHLEBECK AT TELEPHONE (763) 514-3118 IMMEDIATELY.

THE INFORMATION CONTAINED IN THIS FACSIMILE MESSAGE IS ATTORNEY PRIVILEGED AND CONFIDENTIAL INFORMATION INTENDED ONLY FOR THE USE OF THE INDIVIDUAL OR ENTITY NAMED ON THIS TRANSMITTAL FORM. IF THE READER OF THIS MESSAGE IS NOT THE INTENDED RECIPIENT, YOU ARE HEREBY NOTIFIED THAT ANY DISSEMINATION, DISTRIBUTION, OR COPYING OF THIS COMMUNICATION IS STRICTLY PROHIBITED. IF YOU HAVE RECEIVED THIS COMMUNICATION IN ERROR, PLEASE IMMEDIATELY NOTIFY US BY TELEPHONE, AND RETURN THE ORIGINAL MESSAGE TO US AT THE ADDRESS LISTED ABOVE VIA THE U.S. POSTAL SERVICE. THANK YOU.

DOCKET NO.: P-10413.00

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE
RESPONSE TO RESTRICTION REQUIREMENT TRANSMITTAL

In re Application of: John D. Norton et al.

For: METHODS OF APPLYING SEPARATOR MEMBERS TO AN ELECTRODE OF A CAPACITOR

Serial No.: 10/618,048

Filed: July 11, 2003

CERTIFICATE UNDER 37 CFR §1.8 I hereby certify that this **RESPONSE TO RESTRICTION REQUIREMENT** and Transmittal and the paper(s), as described herein are being sent to telefacsimile No. (703) 872-9306, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on this 24th day of May, 2005.

Molly Chlebeck
Signature
MOLLY CHLEBECK
Printed Name

MAIL STOP AMENDMENT
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

We are transmitting herewith the attached:

X Response to Restriction Requirement

- ☐ Applicant hereby petitions for _____ months' extension of time. If an additional extension of time is required, please consider this petition therefor.
- ☐ Please charge Deposit Account No. 13-2546 \$ _____ for extension of time and \$ _____ For _____ for a TOTAL OF \$ _____ .00
- X Please charge any additional fees or credits to Deposit Account No. 13-2546 which may have been overlooked on this Amendment Transmittal with regard to this filing. A duplicate of this transmittal is enclosed.
- X Applicant believes that no extension of time is required. However, if an extension of time is required, please consider this a petition therefor to provide for the possibility that applicant has inadvertently overlooked the need for an extension of time.

Date

5/24/05

Carol F. Barry
Carol F. Barry, Reg. No. 41,600
Telephone: (763) 514-4673
Customer No. 27581

MAY 24 2005

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants: John D. Norton et al. Examiner: N. Ha
Serial No.: 10/618,048 Group Art Unit: 2831
Filed: July 11, 2003 Docket: P10413.00
Title: METHODS OF APPLYING SEPARATOR MEMBERS TO AN
ELECTRODE OF A CAPACITOR

RESPONSE TO RESTRICTION REQUIREMENT

MAIL STOP AMENDMENT
Commissioner For Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

In response to the Restriction Requirement of the Office Action mailed April 27, 2005, Applicants elect, with traverse, the species of Group II defined by claims 9-26.

REMARKS

The traversal is based on applicants' understanding that there is no undue burden imposed on the Examiner to examine the subject application as originally filed.

Respectfully submitted,

5/24/05
Date

Carol F. Barry
Carol F. Barry
Reg. No. 41,600
(763) 514-4673
Customer No. 27581